

IP 44

class II

IK06 1J xx3

230V/50Hz



CHIP OVALE

design Roberto Fiorato

Luminaire for indoor/outdoor lighting comprising:

- **technopolymer** housing, trim, guard or screen
- aluminium reflector (incandescent versions)
- polypropylene reflector (fluorescent versions)
- **glass** diffuser, internally matt
- high resistance polycarbonate grid, transparent for Chip Ovale 30 Safe version
- stainless steel screws (security screws available upon request)
- side entry for 16 mm or 20 mm conduits (drill out holes in housing)
- separate lamp circuits available upon request for Chip 30 2x9w version
- 1x13w and 2x9w are provided with low loss ballast
- the magnetic ballasts installed in the fluorescent versions are equipped with thermal cut-off device, according to the EN 60598-1:2000 Standard

® Registered model



WALL LUMINAIRE



CEILING LUMINAIRE




POST LUMINAIRE



DIFFUSED LIGHT



5-YEAR WARRANTY



E27
max 1x60W



E27
1x8W Philips Master PL Electronic
1x11W Osram Dulux EL Longlife
1x20W Megaman MM 332
1x11W GE FLE



G23
2x9W



G24d-1
1x13W



G24q-1
1x13W

LAMPHOLDER W

COLOUR

CLASS



CODE

NOTES

CHIP OVALE 25

E27	max 1x60w IAA	WH1	II •	005700	☐
E27	max 1x60w IAA	BK1	II •	005702	☐
E27	max 1x60w IAA	GR3	II •	005704	
G23	2x9w FSD	WH1	II •	005723	☐
G23	2x9w FSD	BK1	II •	005725	☐
G23	2x9w FSD	GR3	II •	005727	☐
G24d-1	1x13w FSQ	WH1	II •	005711	☐ ☐
G24d-1	1x13w FSQ	BK1	II •	005713	☐ ☐
G24d-1	1x13w FSQ	GR3	II •	005715	☐ ☐



G24q-1	1x13w FSQ	WH1	II	055711	☐ ☐
G24q-1	1x13w FSQ	BK1	II	055713	☐ ☐
G24q-1	1x13w FSQ	GR3	II	055715	☐ ☐

IK06 1J xx3



WH1
WHITE



GR3
MAT METALLIC GREY



BK1
BLACK

PACKAGE SIZE





CHIP OVALE 25
30 x 29 x 51,5 cm
(master x 6)



CHIP OVALE 30
37,5 x 33 x 60,5 cm
(master x 6)

DISTANCE BETWEEN FIXING HOLES




**CHIP OVALE 25/G**

E27	max 1x60w IAA	WH1	II	•	005701	■
E27	max 1x60w IAA	BK1	II	•	005703	■
E27	max 1x60w IAA	GR3	II	•	005705	
G23	2x9w FSD	WH1	II	•	005724	□
G23	2x9w FSD	BK1	II	•	005726	□
G23	2x9w FSD	GR3	II	•	005728	□
G24d-1	1x13w FSQ	WH1	II	•	005712	□Q
G24d-1	1x13w FSQ	BK1	II	•	005714	□Q
G24d-1	1x13w FSQ	GR3	II	•	005716	□Q
G24q-1	1x13w FSQ	WH1	II		055712	■Q
G24q-1	1x13w FSQ	BK1	II		055714	■Q
G24q-1	1x13w FSQ	GR3	II		055716	■Q




IK06 1J xx3

E27
max 1x60WE27
1x18W Philips Master PL Electronic
1x11W Osram Dulux EL Longlife
1x20W Megaman MM 332
1x11W GE FLEG23
2x9WG24d-1
1x13WG24q-1
1x13W**CHIP OVALE 25 GRILL**

E27	max 1x60w IAA	WH1	II	•	005706	■
E27	max 1x60w IAA	BK1	II	•	005707	■
E27	max 1x60w IAA	GR3	II	•	005708	
G23	2x9w FSD	WH1	II	•	005729	□
G23	2x9w FSD	BK1	II	•	005730	□
G23	2x9w FSD	GR3	II	•	005731	□
G24d-1	1x13w FSQ	WH1	II	•	005717	□Q
G24d-1	1x13w FSQ	BK1	II	•	005718	□Q
G24d-1	1x13w FSQ	GR3	II	•	005719	□Q
G24q-1	1x13w FSQ	WH1	II		055717	■Q
G24q-1	1x13w FSQ	BK1	II		055718	■Q
G24q-1	1x13w FSQ	GR3	II		055719	■Q



IK06 1J xx3

E27
max 1x60WE27
1x8W Philips Master PL Electronic
1x11W Osram Dulux EL Longlife
1x20W Megaman MM 332
1x11W GE FLEG23
2x9WG24d-1
1x13WG24q-1
1x13W**CHIP OVALE 30**

E27	max 1x100w IAA	WH1	II	•	005780	■
E27	max 1x100w IAA	BK1	II	•	005782	■
E27	max 1x100w IAA	GR3	II	•	005784	
G23	2x9w FSD	WH1	II	•	005805	□
G23	2x9w FSD	BK1	II	•	005807	□
G23	2x9w FSD	GR3	II	•	005809	□
G24d-2	1x18w FSQ	WH1	II	•	005793	□Q
G24d-2	1x18w FSQ	BK1	II	•	005795	□Q
G24d-2	1x18w FSQ	GR3	II	•	005797	□Q
G24d-3	1x26w FSQ	WH1	II	•	005865	□Q
G24d-3	1x26w FSQ	BK1	II	•	005867	□Q
G24d-3	1x26w FSQ	GR3	II	•	005869	□Q
G24q-1	1x13w FSQ	WH1	II		055780	■Q
G24q-1	1x13w FSQ	BK1	II		055782	■Q
G24q-1	1x13w FSQ	GR3	II		055784	■Q



IK06 1J xx3

E27
max 1x100WE27
1x12W Osram Dulux EL
1x23W Osram Dulux EL Longlife
1x23W Philips Master PL
1x23W Megaman MM 333
1x23W GE FLEG23
2x9WG24d-2
1x18WG24d-3
1x26Wlook at our
website for
more
information
on products□ magnetic
ballastE electronic
ballast▲ unit for
emergency light

Q lamp included

■ supplied only
in masterpacks

IP 44

class II

IK06 1J xx3
IK10 20J xx9

230V/50Hz



WALL LUMINAIRE



CEILING LUMINAIRE



POST LUMINAIRE



DIFFUSED LIGHT



5-YEAR WARRANTY



WH1
WHITE



GR3
MAT METALLIC GREY




BK1
BLACK

LAMPHOLDER W

COLOUR CLASS CODE

NOTES



E27
max 1x100W



E27
1x12W Osram Dulux EL
1x23W Osram Dulux EL Longlife
1x23W Philips Master PL
1x23W Megaman MM 333
1x23W GE FLE



G23
2x9W



G24d-2
1x18W



G24d-3
1x26W


CHIP OVALE 30/G

E27	max 1x100w IAA	WH1	II	•	005781	III
E27	max 1x100w IAA	BK1	II	•	005783	III
E27	max 1x100w IAA	GR3	II	•	005785	
G23	2x9w FSD	WH1	II	•	005806	II
G23	2x9w FSD	BK1	II	•	005808	II
G23	2x9w FSD	GR3	II	•	005810	II
G24d-2	1x18w FSQ	WH1	II	•	005794	II
G24d-2	1x18w FSQ	BK1	II	•	005796	II
G24d-2	1x18w FSQ	GR3	II	•	005798	II
G24d-3	1x26w FSQ	WH1	II	•	005866	II
G24d-3	1x26w FSQ	BK1	II	•	005868	II
G24d-3	1x26w FSQ	GR3	II	•	005870	II



G24q-1	1x13w FSQ	WH1	II		055781	II
G24q-1	1x13w FSQ	BK1	II		055783	II
G24q-1	1x13w FSQ	GR3	II		055785	II

IK06 1J xx3



E27
max 1x100W



E27
1x12W Osram Dulux EL
1x23W Osram Dulux EL Longlife
1x23W Philips Master PL
1x23W Megaman MM 333
1x23W GE FLE



G23
2x9W



G24d-2
1x18W



G24d-3
1x26W


CHIP OVALE 30 GRILL

E27	max 1x100w IAA	WH1	II	•	005786	III
E27	max 1x100w IAA	BK1	II	•	005787	III
E27	max 1x100w IAA	GR3	II	•	005788	
G23	2x9w FSD	WH1	II	•	005811	II
G23	2x9w FSD	BK1	II	•	005812	II
G23	2x9w FSD	GR3	II	•	005813	II
G24d-2	1x18w FSQ	WH1	II	•	005799	II
G24d-2	1x18w FSQ	BK1	II	•	005800	II
G24d-2	1x18w FSQ	GR3	II	•	005801	II
G24d-3	1x26w FSQ	WH1	II	•	005873	II
G24d-3	1x26w FSQ	WH1	II	•	005871	II
G24d-3	1x26w FSQ	BK1	II	•	005872	II



G24q-1	1x13w FSQ	WH1	II		055786	II
G24q-1	1x13w FSQ	BK1	II		055787	II
G24q-1	1x13w FSQ	GR3	II		055788	II

IK06 1J xx3



E27
max 1x100W



E27
1x12W Osram Dulux EL
1x23W Osram Dulux EL Longlife
1x23W Philips Master PL
1x23W Megaman MM 333
1x23W GE FLE



G23
2x9W



G24d-2
1x18W



G24d-3
1x26W

CHIP OVALE 30 SAFE

E27	max 1x100w IAA		II	•	005817	
G23	2x9w FSD		II	•	005819	II
G24d-2	1x18w FSQ		II	•	005818	II
G24d-3	1x26w FSQ		II	•	005875	II



G24q-1	1x13w FSQ		II		055817	II
--------	-----------	--	----	--	--------	----


IK10 20J xx9

PACKAGE SIZE



CHIP OVALE 30
37,5 x 33 x 60,5 cm
(master x 6)

DISTANCE BETWEEN FIXING HOLES



HOSTILE ENVIRONMENTS



CHIP OVALE 25

ACCESSORIES

Chip Ovale 25 Brackets


Polycarbonate range of accessories which allows wall, corner and post mounting for CHIP OVALE 25 only. Possibility of mounting one or two luminaires per post, in vertical or 40° angled position, according to the configuration chosen. In this case, to allow a proper water drainage, a 6mm hole shall be drilled on the lower part of the trim (see installation and maintenance instruction sheet) The accessories for post mount are suitable for either standard 60 mm diameter posts or 42 mm diameter posts.

Chip Ovale 25 Posts

Available either in extruded ABS/fiberglass or extruded aluminium, in black finish. Maximum height: 990 mm. It is recommended to drive the post at least 20 cm into a concrete slab.

M1/M2 Post - Mini M1/M2 Post Chip Ovale 25

- Post made of painted aluminium. Takes one or two luminaire
- bracket made of polycarbonate
- connection box made of self-extinguishing polycarbonate with 4 ends terminal block, 16 mm²



DESCRIPTION	COLOUR	CODE
Aluminium post	BK1	000820
Abs/Fiberglass 60 mm post	BK1	000819
Post M1	BK1	000996
Post M1	GR3	000997
Post mini M1	BK1	000992
Post mini M1	GR3	000993
Post M2	BK1	000998
Post M2	GR3	000999
Angled bracket	WH1	000793
Angled bracket	BK1	000502
Angled bracket	GR3	000503
Corner bracket (angled mount)	WH1	000791
Corner bracket (angled mount)	BK1	000792
Corner bracket (vertical mount)	WH1	000789
Corner bracket (vertical mount)	BK1	000790
Vertical bracket for 42 mm post	WH1	000795
Vertical bracket for 42 mm post	BK1	000796
Vertical bracket for 60 mm post	WH1	000797
Vertical bracket for 60 mm post	BK1	000798
Twin vertical bracket for 42 mm post	WH1	000803
Twin vertical bracket for 42 mm post	BK1	000804
Twin vertical bracket for 60 mm post	WH1	000805
Twin vertical bracket for 60 mm post	BK1	000806
Angled bracket for 42 mm post	WH1	000799
Angled bracket for 42 mm post	BK1	000800
Angled bracket for 60 mm post	WH1	000801
Angled bracket for 60 mm post	BK1	000802
Twin angled bracket for 42 mm post	WH1	000807
Twin angled bracket for 42 mm post	BK1	000808
Twin angled bracket for 60 mm post	WH1	000809
Twin angled bracket for 60 mm post	BK1	000810
Vertical + angled bracket for 42 mm post	WH1	000811
Vertical + angled bracket for 42 mm post	BK1	000812
Vertical + angled bracket for 60 mm post	WH1	000813
Vertical + angled bracket for 60 mm post	BK1	000814
Fixing rod		008981

look at our website for more information on products



- magnetic ballast
- E electronic ballast
- ▲ unit for emergency light
- ♀ lamp included
- ≡ supplied only in masterpacks